

INDEX MAPS.

T. 14 N., R. 4 E. 2nd Mer.

	127	127	126	126	126	125						
129	6	149	5	143	4	140	3	136	2	133	1	125
	149		148		143		139		136		132	
129	7	148	8	143	9	139	10	136	11	132	12	125
	147		147		142		139		135		132	
128	18	147	17	142	16	138	15	135	14	131	13	125
	146		146		142		138		135		131	
128	19	146	20	141	21	138	22	134	23	131	24	124
	145		145		141		137		134		130	
128	30	145	29	141	28	137	27	134	26	130	25	124
	144		144		140		137		133		130	
127	31	144	32	140	33	137	34	133	35	129	36	124
	121		121		121-123		121-122		121-122		122	

T. 15 N., R. 4 E. 2nd Mer.

	156		156		155		155		155		154	
158	6	178	5	172	4	169	3	165	2	162	1	154
	177		177		172		169		165		161	
158	7	177	8	172	9	168	10	165	11	161	12	154
	177		176		172		168		164		161	
157	18	176	17	171	16	168	15	164	14	160	13	153
	175		175		171		167		164		160	
157	19	175	20	171	21	167	22	163	23	160	24	153
	175		174		170		167		163		159	
157	30	174	29	170	28	166	27	163	26	159	25	153
	174		173		170		166		162		159	
156	31	173	32	169	33	166	34	162	35	158	36	152
	152		152		151		151		151		151	

The figures on the lines refer to the page.

Township N. 15 North, Range N. 4 East 2. Mer. Indiana

South Boundary

West On S. boundary of Sec. 36, T15 N. R4 E.
 21.50 an Elm 24 in. dia. in the line
 40.00 Set the q. Sec. post, from which
 an Ash 22 in. dia. bears S87 E 48 lks. dist. &
 a No 12 " " " S80 W 14 " "
 50.00 Set a post Cor. to Sec. 35 & 36, T15 N. R4 E. from which
 a Beech 8 in. dia. bears N85 W 29 lks. dist. &
 a No 20 " " " N86 W 23 " "
 Over level Land, timber Beech & Ash

West On S. boundary of Sec. 35, T15 N. R4 E.
 28.00 a Hickory 18 in. dia.
 40.00 Set the q. Sec. post, from which
 a Lym 10 in. dia. bears S36 E 11 lks. dist. &
 an Elm 10 " " " N35 W 15 " "
 55.80 a Hickory 14 " "
 60.00 Set a post Cor. to Sec. 34 & 35, T15 N. R4 E. from which
 an Ash 12 in. dia. bears S25 E 18 lks. dist. &
 an Oak 10 " " " S45 W 13 " "
 Over Land timber &c. same as on the last Mile

West On S. boundary of Sec. 34, T15 N. R4 E.
 32.48 a Beech 16 in. dia.
 40.00 Set the q. Sec. post, from which
 an Elm 9 in. dia. bears S58 E 24 lks. dist. &
 a Beech 10 " " " N45 W 11 " "
 63.20 an Oak 14 " "
 60.00 Set a post Cor. to Sec. 33 & 34, T15 N. R4 E. from which
 a W. Oak 14 in. dia. bears S85 E 28 lks. dist. &
 a Beech 20 " " " N85 W 12 " "
 Over good farming Land Beech Oak Lym &c.

West On S. boundary of Sec. 33, T15 N. R4 E.
 12.10 a W. Oak 13 in. dia.
 40.00 Set the q. Sec. post, from which

T15 N R4 E. 2^d. Mer. Indiana

- an Ash 20 in. dia. bears N 32 W 15 lbs. dist. 4
 a Do 13 " " " S 51 E 28 " "
 56.86 an Elm 13 " "
 81.00 Set a post Cor. to Sec. 32 & 33, T15 N R4 E, from which
 a W. Oak 11 in. dia. bears S 80 W 26 lbs. dist. 4
 an Ash 10 " " " N 60 E 28 " "
 Land timber &c. same as on the last mile

- West On E. boundary of Sec. 32, T15 N R4 E.
 19.15 a Cherry 12 in. dia.
 40.00 Set the q. Sec. post, from which
 a Beech 12 in. dia. bears N 65 E 18 lbs. dist. 4
 a W. Oak 8 " " " S 83 W 10 " "
 57.80 an Ash 30 " "
 63.20 a Brook 10 lbs. wide Course N. W.
 80.00 Set a post Cor. to Sec. 31 & 32, T15 N R4 E, from which
 a Beech 14 in. dia. bears S 66 E 18 lbs. dist. 4
 a Do 13 " " " N 63 W 11 " "
 Over good farming land timber Beech, Ash,
 Sugar &c. underg. Spice

- West On South boundary of Sec. 31, T15 N R4 E.
 29.81 a Beech 20 in. dia.
 34.00 a Brook 2 lbs. wide Course N.
 40.00 Set the q. Sec. post, from which
 a Beech 15 in. dia. bears N 86 E 29 lbs. dist. 4.
 a Do 30 " " " S 86 W 39 " "
 80.00 Intersected the N. & S. line Cor. to Townships
 N. 14 & 15 North Ranges N. 34 E.
 Over good farming land.

- East Boundary var. 6.00 E.
 North On E. boundary of Sec. 36, T15 N R4 E.
 13.23 a Beech 21 in. dia.
 40.00 Set the q. Sec. post, from which
 a Sugar 9 in. dia. bears N 83 E 9 lbs. dist. 4

N 15 N. R 14 E. 2^d Mer. Indiana

a Dogwood 6 mi. dia. bray N 16 W 10 lks. dist. of
 73.00 a Beech 18 mi. dia.
 80.00 Let a post Cor. to Sec. 25 of 36, from which
 a Beech 18 mi. dia. bray N 26 W 10 lks. dist. of
 a Do 25 " " " N 79 E 26 " "
 Good farming land, Beech, Sugar, Ash, Elm
 W. Oak &c. underg^d. Spice & pawpaw.

North On E. boundary of Sec. 25, N 15 N. R 14 E.

14.00 a W. Oak 25 mi. dia.
 40.00 Let the q. Sec. post, from which
 a Beech 10 mi. dia. bray West 23 lks. dist. of
 a Do 18 " " " N 46 E 21 " "
 50.00 a W. Oak 54 " "
 80.00 Let a post Cor. to Sec. 24 of 25, from which
 a W. Oak 18 mi. dia. bray N 26 E 18 lks. dist. of
 a Beech 8 " " " N 66 W 8 " "
 Land level 2^d rate, Beech, Sugar, Ash, Elm,
 W. Oak, Hickory &c. underg^d. Spice & pawpaw.

North On E. boundary of Sec. 24, N 15 N. R 14 E.

18.54 a Maple 24 mi. dia.
 40.00 Let the q. Sec. post, from which
 a W. Oak 18 mi. dia. bray N 15 E 13 lks. dist. of
 a Beech 18 " " " N 27 E 10 " "
 43.64 a W. Oak 24 " "
 80.00 Let a post Cor. to Sec. 13 of 24, from which
 a Beech 18 mi. dia. bray N 79 W 38 lks. dist. of
 a Do 16 " " " N 69 E 23 " "
 Level 2^d rate land, timber same as last mile

North On E. boundary of Sec. 13, N 15 N. R 14 E.

4.54 a Beech 25 mi. dia.
 40.00 Let the q. Sec. post, from which
 a Beech 18 mi. dia. bray S 8 E 10 lks. dist. of
 a Do 15 " " " N 8 W 12 " "

T15 N R4 E. 2^d Mer. Indiana

54.84 at Beech 16 in. diar. ~~beam~~
 80.00 Set a post Cor. to Sec. 12 & 13, from which
 a Hickory 18 in. diar. beam N 14 E 12 lks. dist. of
 at Beech 14 " " " S 32 W 21 " "
 Level 2^d rate land, 1 Beech, Sugar, Elm,
 Walnut, W. Oak &c. undergth Spruce

North On E. boundary of Sec. 12, T15 N. R4 E.
 40.00 Set the q. Sec. post, from which
 a Beech 21 in. diar. beam S 55 E 18 lks. dist. of
 a Do 9 " " " N 88 W 29 " "
 80.00 Set a post Cor. to Sec. 11 & 12, from which
 a Beech 14 in. diar. beam N 89 W 15 lks. dist. of
 a Sugar 6 " " " S 85 E 9 " "
 Good farming land, 1 Beech, Sugar, Elm, Lym,
 Walnut, Oak &c. undergrowth Spruce & pawpaw
 Wednesday Aug. 4th. 1819

North On E. boundary of Sec. 1, T15 N. R4 E.
 4.00 a Branch 15 lks. wide Course S. W.
 40.00 Set the q. Sec. post, from which
 a Beech 20 in. diar. beam South 9 lks. dist. of
 a Do 9 " " " N 24 W 13 " "
 70.95 Intersected the E & W. line at the post Cor.
 to Township, N. 15 & 16 N. Ranges N. 4 & 5 E.
 good farming land timber same as last mile

North Boundary var. E. 15 E.
 West On the S. boundary of Sec. 36, T16 N. R4 E.
 17.06 at Beech 24 in. diar.
 40.00 Set the q. Sec. post, from which
 a Sugar 6 in. diar. beam S 52 E 12 lks. dist. of
 a Beech 12 " " " S 63 W 13 " "
 42.42 at Beech 12 in. diar.
 80.00 Set a post Cor. to Sec. 35 & 36, T16 N. R4 E. from which
 at Beech 18 in. diar. beam N 52 E 9 lks. dist. of

T15 N R4 E 2^d Mer. Indiana

a Beech 12 in. dia. bray N 69 W 13 lks. dist. of
Land 2^d rate level, 1 Beech, Sugar W. Oak, Hick,
&c. undergth Spice

Nest On S. boundary of Sec. 35, T16 N. R4 E

25.28 a Sugar 24 in. dia.

40.00 Let the g. Sec. post, from which

a Beech 7 in. dia. bray N 78 E 14 lks. dist. of

a Sugar 18 " " " N 82 W 23 " "

42.00 a Creek 30 lks. wide Course N. W.

75.64 a Hickory 21 in. dia.

80.00 Let a post Cor. to Sec. 34 & 35, T16 N. R4 E. from which

a Beech 36 in. dia. bray N 10 E 18 lks. dist. of

a Ho 14 " " " N 30 E 15 " "

Land timber &c. same as on the last mile

Nest On S. boundary of Sec. 34, T16 N. R4 E.

32.54 a Beech 24 in. dia.

40.00 Let the g. Sec. post, from which

a Sugar 10 in. dia. bray N 34 E 5 lks. dist. of

a Poplar 7 " " " N 13 E 14 " "

40.50 a Branch 20 lks. wide Course S. W.

46.47 a W. Ash 36 in. dia.

80.00 Let a post Cor. to Sec. 33 & 34, T16 N. R4 E. from

which a Beech 18 in. dia. bray N 59 E 3 lks. dist. of

c a Hickory 20 " " " N 44 W 49 " "

Land timber &c. same as on the last mile

Nest On S. boundary of Sec. 33, T16 N. R4 E.

20.80 a W. Oak 42 in. dia.

40.00 Let the g. Sec. post, from which

a Beech 20 in. dia. bray N 54 E 19 lks. dist. of

a Ho 10 " " " N 35 W 25 " "

49.70 a W. Ash 24 " "

60.00 an Indian road N of S.

72.00 a Branch Course South

T15 N. R4 E. 2^d. Mer. Indiana

80.00 Let a post Cor. to Sec. 32 & 33, T16 N. R4 E. from which
 a Beech 15 m. diam. bear N30 E 24 lks. dist. of
 a Do 10 " " " S50 W 18 " "
 Good farming land, Beech, Sugar, Ash, Elm,
 W. Oak, Hickory &c. undgth. Spice & pawpaw

Nest On S. boundary of Sec. 32, T16 N. R4 E.

31.46 a W. Oak 48 m. diam.

40.00 Let the q. Sec. post, from which
 a Beech 18 m. diam. bear S10 E 31 lks. dist. of
 a Sugar 20 " " " N71 E 16 " "

80.00 Let a post Cor. to Sec. 31 & 32, T16 N. R4 E. from which
 a Sugar 12 m. diam. bear N20 W 18 lks. dist. of
 a Beech 9 " " " S45 W 24 " "
 Sand timber &c. same as on the last river

Nest On S. boundary of Sec. 31, T16 N. R4 E.

27.42 a Beech 15 m. diam.

40.00 Let the q. Sec. post, from which
 a Beech 6 m. diam. bear N77 E 22 lks. dist. of
 a Hickory 24 " " " S71 W 24 " "

53.33 a Cottonwood 48 " "

53.50 a Creek 50 lks. wide course South

80.00 Let a post Cor. to Towns 15 & 16 N. Range 30
 4 East. Good farming land, Beech, Elm,
 Sugar, Walnut, Oak, Hickory, Hackberry,
 Buckeye &c. Spice & pawpaw. August 5th 1819

Nest Boundary var. 6th 00 E.

North On E. boundary of Sec. 36, T15 N. R3 E.

23.28 a Beech 24 m. diam.

25.00 a Creek 50 lks. wide Course N.W.

40.00 Let the q. Sec. post, from which
 a W. Oak 8 m. diam. bear S44 W 15 lks. dist. of
 an Elm 18 " " " N37 E 30 " "

68.41 a Beech 15 " "

T15 N. R4 E. 2nd Mer. Indiana

80.00 Set a post Cor. to Sec. 25, T15 N. R3 E. from which
a Beech 14 in. diam. brang N62°W16 lks. dist. of
a Do 18 " " " S50 E22 " "
Good farming land, Beech, Sugar, Elm, Walnut
W. Oak &c. undergrth. Spice & pawpaw

North On E. boundary of Sec. 25, T15 N. R3 E.

8.18 a Hickory 27 in. diam.

40.00 Set the q. Sec. post, from which
a Beech 18 in. diam. brang N29°W19 lks. dist. of
a Do 10 " " " S24 E44 " "

64.04 a Beech 10 " "

80.00 Set a post Cor. to Sec. 24 & 25, T15 N. R3 E. from which
a Beech 7 in. diam. brang N50 E19 lks. dist. of
a Hickory 20 " " " S32 W46 " "
Rich rolling land, timber same as last mile.

North On E. boundary of Sec. 24, T15 N. R3 E.

14.51 a Hickory 18 in. diam.

36.00 a creek 30 lks. wide Course N.W.

40.00 Set the q. Sec. post, from which
a Beech 30 in. diam. brang N79°W18 lks. dist. of
a Do 12 " " " S18 E26 " "

55.00 a Branch 6 lks. wide Course West

77.77 a Beech 14 in. diam.

80.00 Set a post Cor. to Sec. 13 & 24, T15 N. R3 E. from which
a Cherry 6 in. diam. brang N46°W3 lks. dist. of
a Do 7 " " " S42 E25 " "
Good farming land, Beech, Sugar, Elm, ash & Walnut.

North On E. boundary of Sec. 13, T15 N. R3 E.

2.00 a Branch 10 lks. wide Course N.W.

28.60 a Beech 24 in. diam.

40.00 Set the q. Sec. post, from which
an Elm 15 in. diam. brang S50°W3 lks. dist. of
a Buckeye 12 " " " S87 E21 " "

T⁵S. N. R⁴E. 2^d. Mer. Indiana

- 41.50 a Creek 60th wide Course S.W.
 80.00 Set a post cor. to Sec. 12 & 13, T⁵S. N. R³E. from which
 a Beech 15 m. dist. bear S 31 E 27 lks. dist. of
 a Maple 20 " " " N 37 W 40 " "
 1st fr same as last Hackberry, Buckeye, some
 good bottom on Creek. August 9th 1879

- North On E. boundary of Sec. 12, T⁵S. N. R³E.
 37.64 a W. Walnut 50 m. dist.
 40.00 Set the q. Sec. post, from which
 a Hickory 9 m. dist. bear N 86 W 12 lks. dist. of
 a Buckeye 12 " " " N 41 E 16 " "
 68.49 a Beech 25 " "
 80.00 Set a post cor. to Sec. 1 & 12, T⁵S. N. R³E. from which
 a Sugar 10 m. dist. bear S 39 W 8 lks. dist. of
 a Buckeye 4 " " " N 55 E 13. "
 Good farming land, timber same as on last mile

- North On E. boundary of Sec. 1, T⁵S. N. R³E.
 8.50 a Branch 12th wide Course S.W.
 26.00 a Creek 50 lks. wide " S.W.
 35.76 a Hackberry 20 m. dist.
 40.00 Set the q. Sec. post, from which
 a Hackberry 30 m. dist. bear S 24 E 50 lks. dist. of
 a Sugar 16 " " " N 54 W 19 " "
 80.10 Intersected the parallel & set a post corner to
 Township, N. 15 & 16 North, Range, N. 3 & 4 E, from which
 a Beech 27 m. dist. bear S 50 W 18 lks. dist. of
 a Hackberry 10 " " " N 29 E 12 " "
 Rich level land, Sugar, Hackberry, Walnut,
 Buckeye, Beech, Cherry &c. undug^d. Spruce & hawhaw.
 Surveyed by John M. C. Donald, Dep. Surveyor

Subdivision. var. 6.00' E

- North Between Sec. 35 & 36, T⁵S. N. R⁴E.
 8.45 an Elm 24 m. dist.

T15N R4E 2nd Mer. Indiana

- 40.00 Set the q. Sec. post, from which
an Ash 18 in. dia. bears S 42 E 7 1/2 k. dist. of
a No 22 " " " S 73 W 5 " "
- 69.43 a Hickory 10 " "
- 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which
a Beech 20 in. dia. bears N 22 W 30 k. dist. of
a W. Oak 10 " " " S 29 E 7 " "
- Land level 2nd rate timber beech Ash poplar
undergrowth Spice gr.

East On Random between Sec. 25 & 36, T15N R4E.

- 40.00 Set temp. q. Sec. post,
30.40 Intersected the N. & S. line 1.11 k. S. of post
Land level Soil thin Inclining to wet -

West Corrected between Sec. 25 & 36, T15N R4E.

- 40.20 Set q. Sec. post at average dist. from which
a W. Oak 12 in. dia. bears N 80 E 7 k. dist. of
a B. Oak 20 " " " N 83 W 38 " "
- 80.40 To Section Corner

North Between Sec. 25 & 26, T15N R4E.

- 35.10 an Ash 20 in. dia.
40.00 Set the q. Sec. post, from which
an Ash 12 in. dia. bears S 38 E 24 k. dist. of
a No 20 " " " N 40 W 14 " "
- 68.65 an Ash 15 " "
- 80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which
a Beech 12 in. dia. bears N 10 E 9 k. dist. of
a No 6 " " " S 40 W 12 " "
- Land level 2nd rate beech Ash Poplar Oak
undergrowth Spice gr.

East On Random between Sec. 24 & 25, T15N R4E.

- 40.00 Set temp. q. Sec. post.
50.47 Intersected the N. & S. line 1.35 k. S. of post
Land level 3rd rate -

T15 N R4 E. 2nd Mer. Indiana

West Corrected between Secs. 24 & 25, T15 N R4 E.
 40.23 Set q. Sec. post at average dist. from which
 a Beech 18 in. dia. bears S 59 W 18 lks. dist. &
 a No 5 " " " N 14 W 20 " "
 80.47 To Section Corner

North Between Secs. 23 & 24, T15 N R4 E.
 26.80 an Ash 10 in. dia.
 40.00 Set the q. Sec. post, from which
 a Sugar 30 in. dia. bears S 69 W 32 lks. dist. &
 a Beech 6 " " " N 71 E 10 " "
 58.42 a Beech 15 " "
 80.00 Set a post Cor. to Secs. 13, 14, 23 & 24, from which
 a Beech 24 in. dia. bears S 31 W 24 lks. dist. &
 a W. Oak 10 " " " N 30 E 25 " "
 Land level 2', rate beech Ash Sugar Poplar Hickory.
 undergrowth Spice etc.

East Between Secs. 13 & 24, T15 N R4 E.
 40.00 Set temp. q. Sec. post
 79.74 Intersected the N. & S. line 74 lks. S. of post.
 Land and timber as before

West Corrected between Secs. 13 & 24, T15 N R4 E.
 39.87 Set q. Sec. post, at average dist. from which
 a W. Oak 30 in. dia. bears S 75 W 30 lks. dist. &
 an Ash 8 " " " East 32 " "
 79.74 To Section Corner

North Between Secs. 13 & 14, T15 N R4 E.
 13.60 a Beech 12 in. dia.
 40.00 Set the q. Sec. post, from which
 a Hickory 12 in. dia. bears S 25 E 5 lks. dist. &
 a Beech 15 " " " N 55 E 30 " "
 51.40 a Beech 12 " "
 80.00 Set a post Cor. to Secs. 11, 12, 13 & 14, from which

T15 N - R4 E. 2^d Mer. Indiana

a Beech 20 in. dia. bears N 29 W 15 lks. dist. of
 a Do 10 " " " South 26 " "
 Land level 2^d rate Beech Ash Hickory &c.

East On Random between Sec. 12 & 13, T15 N. R4 E.
 23. 15 a Stream 6 lks. wide Course N. W.
 40. 00 Set tempy. of Sec. post
 79. 84 Intersected the N. & S. line 24 lks. S. of post
 Land timber &c. as on the last Mile

West Corrected between Sec. 12 & 13, T15 N. R4 E.
 39. 92 Set of Sec. post at average dist. from which
 a Beech 24 in. dia. bears N 49 E 17 lks. dist. of
 a Do 18 " " " S 86 W 6 " "
 79. 84 to Section Corner

North Between Sec. 11 & 12, T15 N. R4 E.
 13. 30 a Stream 12 lks. wide Course West
 25. 15 a W. Oak 36 in. dia.
 40. 00 Set the of Sec. post, from which
 a Sugar 12 in. dia. bears N 68 W 22 lks. dist. of
 at Beech 14 " " " N 32 E 44 " "
 64. 65 a Beech 20 " "
 80. 00 Set a post Cor. to Sec. 1, 2, 11 & 12, from which
 a Sugar 30 in. dia. bears S 76 E 19 lks. dist. of
 an Iron. 6 " " " N 81 W 22 " "
 Land level 2^d rate, Beech, Ash, W. Oak, &c. under-
 growth Spice &c. September 29th 1820

East On Rand^m between Sec. 10 & 12, T15 N. R4 E.
 40. 00 Set tempy. of Sec. post
 46. 30 a small Stream Course S. W.
 79. 96 Intersected the E. boundary 25 lks. S. of post
 Land level good 2^d rate.

West Corrected between Sec. 10 & 12, T15 N. R4 E.

T15 N. R4 E, 2^d Mer. Indiana

- 39.98 Let q^r. Sec. post at average dist. from which
 a Beech 18 in. dia. bear S55 W26 lks. dist. of
 a do 8 " " " S29 E17 " "
 79.96 to Sec. Corner.
-

North Between Sec. 1 & 2, T15 N. R4 E.

- 32.80 a Beech 10 in. dia.
 40.00 Let the q^r. Sec. post, from which
 a Beech 30 in. dia. bear N62 E8 lks. dist. of
 a do 5 " " " S73 W19 " "
 45.40 a Beech 20 " "
 55.12 a Stream 6 lks. wide Corner S.W.
 70.35 Intersected the N. Boundary 19 lks. W. of post
 Let a post Cor. to Sec. 1 & 2, from which
 a Beech 15 in. dia. bear N45 W5 lks. dist. of
 a do 10 " " " S55 E8 " "
 Land rolling 2^d. rate, timber Beech, Ash,
 Poplar, Sugar &c. underg^d. Spruce &c
-

North Between Sec. 34 & 35, T15 N. R4 E.

- 27.90 a Hickory 12 in. dia.
 40.00 Let the q^r. Sec. post, from which
 an Elm 15 in. dia. bear N54 E18 lks. dist. of
 a Hickory 7 " " " S39 W9 " "
 56.36 a Sugar 12 " "
 80.00 Let a post Cor. to Sec. 26, 27, 34 & 35, from which
 a Beech 22 in. dia. bear N75 E11 lks. dist. of
 a Sugar 6 " " " N64 W31 " "
 Land level 2^d. rate, timber Beech, Ash &c.
-

East on Rand^m. between Sec. 26 & 35, T15 N. R4 E.

- 40.00 Let temp^y. q^r. Sec. post, &
 79.81 Intersected the N & S. line 131 lks. S. of post
 Land level 3^d. rate inclining to be wet
-

Met Corrected between Sec. 26 & 35, T15 N. R4 E.

T15 N R4 E 2nd Mer. Indiana

39.90¹/₂ Set q. Sec. post at average dist. from which
 a W. Oak 28 in. dia. bray N48 E 17 lks. dist. of
 a Sym 10 " " " N77 W 31 " "
 79.81 to Sec. Corner

North Between Sec. 26 & 27, T15 N, R4 E.

10.90 a Beech 24 in. dia.

40.00 Set the q. Sec. post, from which
 an Ash 20 in. dia. bray N37 W 31 lks. dist. of
 a Beech 5 " " " S5 E 9 " "

67.40 a W. Oak 20 " "

80.00 Set a post Cor. to Sec. 22, 23, 26 & 27, from which
 a Beech 15 in. dia. bray N24 W 37 lks. dist. of
 a No 11 " " " S46 E 22 " "
 Land level 2nd rate Beech, Ash, W. Oak, Hickory
 undergrowth Spice &c.

East On Rand^m. between Sec. 23 & 26, T15 N, R4 E.

40.00 Set the temp. q. Sec. post

79.70 Intersected the N & S. line 208 lks. S. of the post
 Land timber &c. same as on the last mile

West Corrected between Sec. 23 & 26, T15 N, R4 E.

39.85 Set q. Sec. post at average dist. from which
 a W. Oak 24 in. dia. bray S32 W 17 lks. dist. of
 a Hickory 7 " " " N11 E 17 " "

79.70 to Sec. Corner.

North Between Sec. 22 & 23, T15 N, R4 E.

13.30 a W. Oak 36 in. dia.

40.00 Set the q. Sec. post, from which
 a Sugar 12 in. dia. bray S34 W 34 lks. dist. of
 a Beech 15 " " " N52 E 12 " "

70.65 a W. Oak 20 " "

80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which
 an Elm 20 in. dia. bray N75 W 14 lks. dist. of

T15 N. R4 E. 2^d. Mer. Indiana

a Beech 8 in. diam. bear N 67 E 9 lks. dist. of
 Land level 2^d rate, timber Beech, Ash, Sugar,
 &c. September 30th 1820

East On Rand^m. between Sec. 14 & 23, T15 N. R4 E.
 40.00 Let temp^y. of Sec. post
 79.97 Intersected the N & S. line 183 lks. S. of post
 Land timber &c. same as on the last mile

West Corrected between Sec. 14 & 23, T15 N. R4 E.
 39.98 Let of Sec. post at average dist. from which
 a Beech 20 in. diam. bear N 70 E 40 lks. dist. of
 a do 20 " " " S 74 W 29 " "
 79.97 to Sec. Corner.

North Between Sec. 14 & 15, T15 N. R4 E.

1.92 a Beech 24 in. diam.
 16.60 a stream 5 lks. wide Course N. W.
 40.00 Let the of Sec. post, from which
 a Beech 15 in. diam. bear N 81 W 32 lks. dist. of
 an Iron? 6 " " " S 84 E 35 " "
 47.50 a stream 20 lks. wide Course S. W.
 55.58 a Beech 20 in. diam.
 80.00 Let a post Cor. to Sec. 10, 11, 14 & 15, from which
 a Hickory 22 in. diam. bear N 86 E 10 lks. dist. of
 a Beech 15 " " " S 65 W 19 " "
 Land level 2^d rate Beech, Ash, Hickory, W. Oak
 undugth. Spice &c.

East On Rand^m. between Sec. 11 & 14, T15 N. R4 E.
 40.00 Let temp^y. of Sec. post
 42.25 a stream 15 lks. wide Course S. W.
 79.70 Intersected the N & S. line 244 lks. S. of post
 Land timber &c. same as on the last mile

West Corrected between Sec. 11 & 14, T15 N. R4 E.

T15 N. R4 E. 2^d. Mer. Indiana

39.85 Let q^r. Sec. post at average dist. from which
 a Beech 20 in. diam. bran S 38° W 11 lks. dist. of
 a Do 12 " " " N 66° E 9 " "
 79.70 to Sec. Corner.

North Between Sec^s. 10 & 11, T15 N. R4 E.

21.30 a Sugar 15 in. diam.
 40.00 Let the q^r. Sec. post, from which
 a Spruce 24 in. diam. bran S 25° W 6 lks. dist. of
 a Beech 5 " " " N 26° E 21 " "
 43.66 a Beech 24 " "
 80.00 Let a post Cor. to Sec^s. 2, 3, 10 & 11, from which
 a Beech 15 in. diam. bran N 68° E 4 1/2 lks. dist. of
 a Do 12 " " " N 89° W 34 " "
 Land level 2^d. rate, timber same as last mile

East On Rand^m. between Sec^s. 2 & 11, T15 N. R4 E.

40.00 Let timber q^r. Sec. post
 79.54 Intersected the N. & S. line 209 lks. S. of post
 Land timber &c. same as on the last mile

West Connected between Sec^s. 2 & 11, T15 N. R4 E.

39.77 Let q^r. Sec. post at average dist. from which
 a Beech 15 in. diam. bran N 56° W 29 lks. dist. of
 a Do 12 " " " S 57° E 10 " "
 79.54 to Sec. Corner

North Between Sec^s. 2 & 3, T15 N. R4 E.

15.29 a Sugar 10 in. diam.
 40.00 Let the q^r. Sec. post, from which
 a Beech 20 in. diam. bran N 86° E 36 lks. dist. of
 a Do 18 " " " S 77° W 20 " "
 43.12 a Stream 12 lks. wide Course N. W.
 61.50 a Sugar 15 in. diam.
 73.30 Intersected the N. boundary 18 lks. E. of post
 Let a post Cor. to Sec^s. 2 & 3, from which

T15 N. R4 E. 2^d Mer. Indiana

a Beech 36 in. dia. bray N36W 25 lks. dist. of
 a Do 24 " " " S15 E 42 " "
 Land rolling 2^d rate Beech, Ash, Sugar,
 undngth Spruce &c.

North Between Sec^s. 33 & 34, T15 N. R4 E.

35.40 a Beech 20 in. dia.

40.00 Set the q^r. Sec. post, from which
 a Hickory 7 in. dia. bray S77 E 15 lks. dist. of
 a W. Oak 6 " " " N62W 10 " "

42.03 a Poplar 12 " "

80.00 Set a post Cor. to Sec^s. 27, 28, 33 & 34, from which
 a Beech 20 in. dia. bray S52W 30 lks. dist. of
 an Ash 18 " " " N44 E 36 " "
 Land level 2^d rate Beech, Ash &c.

East On Rand^m. between Sec^s. 27 & 34, T15 N. R4 E.

40.00 Set temp^y. q^r. Sec. post

80.52 Intersected the N & S. line 109 lks. S. of post
 Land rolling 2^d rate, timber Beech, Ash, Poplar,
 W. Oak, Sugar, undngth Spruce. Monday Oct. 2. 1820.

West Connected between Sec^s. 27 & 34, T15 N. R4 E.

40.26 Set q^r. Sec. post at average dist. from which
 a Beech 10 in. dia. bray S41 E 18 lks. dist. of
 an Ash 12 " " " N35W 28 " "

80.52 to Sec. Corner.

North Between Sec^s. 27 & 28, T15 N. R4 ~~East~~

1.60 a Beech 24 in. dia.

22.10 a Stream 12 lks. wide Course W.

40.00 Set the q^r. Sec. post, from which
 a Poplar 12 in. dia. bears S13 E 22 lks. dist. of
 a Walnut 11 " " " N38W 17 " "

42.10 a Beech 26 " "

80.00 Set a post Cor. To Sec^s. 21, 22, 27 & 28, from which

15 N - R 4 E. 2^d. Mer. Indiana

167

a Beech 12 in. dia. bears S 45 E 30 lks. dist. 8
 a Sugar 15 " " " N 83 W 22 " "
 Land level good 2^d. rate beech Ash Sugar Poplar &c.

East On Random between Sec. 22 & 27, S 15 N. R 4 E.
 40.00 Set temp^y. q^r. Sec. post
 80.54 Intersected the N. & S. line 1.77 lks. S. of post
 Land 2^d. rate

West Corrected between Sec. 22 & 27, S 15 N. R 4 E.
 40.27 Set q^r. Sec. post, at average dist. from which
 a Beech 24 in. dia. bears S 68 E 27 lks. dist. 8
 a Hickory 20 " " " S 73 W 11 " "
 80.54 To Section Corner

North Between Sec. 21 & 22, S 15 N. R 4 E.
 14.12 a Sugar 10 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a Beech 15 in. dia. bears N 67 E 13 lks. dist. 8
 a Sugar 13 " " " S 54 W 3 " "
 63.50 a Stream 20 lks. wide Course S. W.
 66.73 a Sugar 14 in. dia.
 80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which
 a Beech 24 in. dia. bears S 14 E 13 lks. dist. 8
 a Do 13 " " " N 7 E 24 " "
 Level good 2^d. rate—

East On Random between Sec. 15 & 22, S 15 N. R 4 E.
 10.00 a Stream 13 lks. wide Course S. W.
 40.00 Set temp^y. q^r. Sec. post—
 79.94 Intersected the N. & S. line 2.62 lks. S. of post
 Land level 2^d. rate

West Corrected between Sec. 15 & 22, S 15 N. R 4 E.
 39.97 Set q^r. Sec. post, at average dist. from which
 a Beech 24 in. dia. bears N 19 W 29 lks. dist. 8

S15 N R4 E 2nd Mer. Indiana

a Beech 20 in. dia. bears S 55 E 25 lks. dist.
79.94 to Section Corner

North Between Secs. 15 & 16, S15 N R4 E.

25.00 a stream & inside course S. W

52.75 a Sugar 12 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 15 in. dia. bears S 83 E 13 lks. dist. &
a No 15 " " " N 36 W 17 " "

63.03 a Beech 12 " "

80.00 Set a post Cor. to Secs. 9, 10, 15 & 16, from which
a Ironw. 4 in. dia. bears N 63 E 4 lks. dist. &
an Ash 24 " " " S 63 W 3 " "
Land level 2^d rate beech Ash Poplar Sugar Spruce &c.

East On Random between Secs. 10 & 15, S15 N R4 E.

40.00 Set temp. q. Sec. post

80.21 Intersected the N & S. line 1.65 lks. S. of post
Land and timber as before

West Corrected between Secs. 10 & 15, S15 N R4 E.

40.10 Set q. Sec. post at average dist. from which
a Beech 15 in. dia. bears N 36 E 37 lks. dist. &
a Buckeye 6 " " " S 30 W 25 " "

80.21 to Section Corner

North Between Secs. 9 & 10, S15 N R4 E.

3.00 a Br. Oak 20 in. dia.

40.00 Set the q. Sec. post, from which
a Sugar 8 in. dia. bears S 2 E 35 lks. dist. &
a Hickory 10 " " " North 33 " "

59.25 a Beech 20 " "

80.00 Set a post Cor. to Secs. 3, 4, 9 & 10, from which
a Sugar 10 in. dia. bears S 52 E 37 lks. dist. &
a No 15 " " " N 64 W 21 " "
first p. level last p. roling 2^d rate

Comp.

T15 N R4 E. 2^d. Mer. Indiana

East On Random between Sec^s. 3 & 10, T15 N R4 E.
 40.00 Set temp^y. g^r. Sec. post
 80.18 Intersected the N. & S. line 2.00 ch^s. S. of post
 Land &c. as before

West Corrected between Sec^s. 3 & 10, T15 N R4 E.
 40.09 Set g^r. Sec. post at average dist. from which
 a Beech 12 in. dia^r. bears N 83° W 31 ch^s. dist. &
 a Sugar 8 " " " N 63° E 31 " "
 80.18 To Section Corner

North Between Sec^s. 3 & 4, T15 N R4 E.
 21.00 a stream 20 ch^s. wide Course S. W.
 40.00 Set the g^r. Sec. post, from which
 a Beech 14 in. dia^r. bears N 67° E 25 ch^s. dist. &
 a do 15 " " " S 64° W 24 " "
 46.94 a Sugar 12 " " in the line
 76.23 Intersected the N. boundary 29 ch^s. E. of post.
 Set a post Cor. To Sec^s. 3 & 4, from which
 a Beech 30 in. dia^r. bears N 74° E 29 ch^s. dist. &
 a do 20 " " " S 83° W 25 " "
 Land bel^d 2^d. rate Beech Ash Sugar undergrowth
 Dogwood Spice Ash &c. Oct. 3rd 1820-

North Between Sec^s. 32 & 33, T15 N R4 E.
 9.50 a stream 6 ch^s. wide Course W.
 11.75 a Beech 20 in. dia^r.
 40.00 Set the g^r. Sec. post, from which
 a Beech 24 in. dia^r. bears S 42° W 28 ch^s. dist. &
 an Ash 18 " " " N 73° E 35 " "
 54.10 a Beech 20 " "
 65.50 a stream 30 ch^s. wide Course W.
 80.00 Set a post Cor. To Sec^s. 28, 29, 32 & 33, from which
 a Beech 20 in. dia^r. bears N 61° W 20 ch^s. dist. &
 a do 8 " " " S 32° E 33 " "
 Land rolling 2^d. rate

T15 N R4 E 2^d Mer. Indiana

East On Random between Sec^s. 28 & 33, T15 N R4 E.
 12.60 a Stream 25 lks. wide Course South
 40.70 Set temp^y. g^r. Sec. post
 62.70 a Stream 12 lks. wide Course S. W.
 80.08 Intersected the N. & S. line 1.09 lks. S. of post
 Land as before

West Corrected between Sec^s. 28 & 33, T15 N R4 E.
 40.04 Set g^r. Sec. post at average dist. from which
 a Beech 15 in. dia^r. bears N 56 E 16 lks. dist. &
 a Do 15 " " " S 48 W 8 " "
 80.08 to Section Corner

North Between Sec^s. 28 & 29, T15 N R4 E.
 19.30 a Beech 12 in. dia^r.
 40.00 Set the g^r. Sec. post, from which
 a Beech 16 in. dia^r. bears S 10 W 25 lks. dist. &
 a Do 12 " " " N 81 E 20 " "
 48.50 a Beech 20 " "
 80.00 Set a post Cor. to Sec^s. 28, 29, T15 N R4 E, from which
 a Beech 18 in. dia^r. bears N 31 W 23 lks. dist. &
 a Do 10 " " " S 60 E 23 " "
 Land rolling 2^d rate Beech Ash Sugar Poplar
 undergrowth Spice &c.

East On Random between Sec^s. 28 & 29, T15 N R4 E.
 28.25 a Stream 20 lks. wide Course S.
 40.00 Set temp^y. g^r. Sec. post
 80.11 Intersected the N. & S. line 11 lks. S. of post
 first 1/2 mile rolling last 1/2 level 2^d rate Beech Ash &c.

West Corrected between Sec^s. 28 & 29, T15 N R4 E.
 40.05 Set g^r. Sec. post at average dist. from which
 a Poplar 30 in. dia^r. bears West 34 lks. dist. &
 a Ironwood 6 " " " N 45 E 38 " "
 80.11 To Section Corner

S15 N R4 E. 2^d. Mer. Indiana

North Between Secs. 20 & 21, S15 N R4 E.
 7.40 a Poplar 12 in. dia.
 40.00 Set the g. Sec. post, from which
 a Beech 20 in. dia. bears N44 E 26 lks. dist. &
 a Do 15 " " " S42 W 44 " "
 44.65 a Beech 24 " "
 66.60 a Stream 10 lks. wide Course West
 80.00 ~~Set a post Cor. to~~ Secs. 16, 17, 20 & 21, from which
 a Beech 22 in. dia. bears N26 E 10 lks. dist. &
 a Do 24 " " " S74 W 16 " "
 Sand rolling poor 2^d. rate timber Beech Ash Poplar
 W. Oak undergrowth Spice Ash Dogwood &c.

East On Prandom between Secs. 16 & 21, S15 N R4 E.
 18.25 a Stream 10 lks. wide Course S.
 40.00 Set temp. g. Sec. post
 80.33 Intersected the N. & S. line 66 lks. South of post
 Sand level good 2^d. rate, timber as before —

West Corrected between Secs. 16 & 21, S15 N R4 E.
 40.16 Set g. Sec. post at average dist. from which
 a Beech 15 in. dia. bears N48 W 36 lks. dist. &
 a Do 10 " " " S20 E 32 " "
 80.33 To Section Corner

North Between Secs. 16 & 21, S15 N R4 E.
 24.65 a Hickory 20 in. dia.
 40.00 Set the g. Sec. post, from which
 a Beech 23 in. dia. bears N56 W 32 lks. dist. &
 a Do 18 " " " S18 E 8 " "
 68.62 and Ash 20 " "
 80.00 Set a post Cor. to Secs. 8, 9, 16 & 17, from which
 a Beech 16 in. dia. bears S48 E 10 lks. dist. &
 a Do 24 " " " N27 W 20 " "
 Sand level 2^d. rate Beech Ash Dog. Hickory
 undergrowth Spice Ash Dogw. &c.

S15 N R4 E. 2^d Mer. Indiana

East On Random between Secs. 9 & 16, S15 N R4 E.
 40.00 Set temp^y. g^r. Sec. post.
 50.23 Intersected the N. & S. line 33 lks. S. of post
 Land level 2^d. rate Beech Ash Hickory - Spice &c.

West Corrected between Secs. 9 & 16, S15 N R4 E.
 40.14 Set g^r. Sec. post at average dist. from which
 a Beech 15 in. dia. bears N 34 E 25 lks. dist. &
 a Do 10 " " " S 74 W 18 " "
 50.28 To Section Corner. Oct. 4th 1820.

North Between Secs. 8 & 9, S15 N R4 E.
 8.90 a Sugar 20 in. dia. bears
 40.00 Set the g^r. Sec. post, from which
 a Beech 18 in. dia. bears N 26 E 8 lks. dist. &
 a Do 8 " " " N 88 W 32. "
 50.15 a Beech 20 " "
 53.25 a Stream 15 lks. wide Course W.
 50.00 Set a post Cor. to Secs. 4, 5, 8 & 9, from which
 a Beech 36 in. dia. bears S 34 W 17 lks. dist. &
 a Do 12 " " " N 39 E 37 " "
 Land level & rich Beech Ash Poplar Hick^y. Spice -

East On Random between Secs. 4 & 9, S15 N R4 E.
 36.10 a Stream 25 lks. wide Course S. W.
 40.00 Set temp^y. g^r. Sec. post
 50.11 Intersected the N. & S. line 72 lks. S. of post
 Land rolling 2^d. rate timber as before

West Corrected between Secs. 4 & 9, S15 N R4 E.
 40.05 Set g^r. Sec. post at average dist. from which
 an Ash 20 in. dia. bears N 72 E 15 lks. dist. &
 a Do 18 " " " N 67 W 18 " "
 50.11 To Section Corner

North Between Secs. 4 & 5, S15 N R4 E.

S15 N R4 E. T^h. Mer. Indiana

- 13.63 a Sugar 12 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a Beech 18 in. dia. bears N84 E 10 lks. dist. &
 a Hickory 6 " " " S41 W 28 " "
 63.16 a Hickory 24 " "
 77.03 Intersected the N. boundary 66 lks. W. of post
 Set a post Cor. to Sec. 4 & 5, from which
 an Ash 24 in. dia. bears S39 W 15 lks. dist. &
 a Beech 22 " " " N6 W 20 " "
 Land level & rich timber Beech Ash Hickory
 undergrowth Spice—

- North Between Sec. 31 & 32, S15 N R4 E,
 9.25 a Stream 10 lks. wide Course W.
 16.60 a Beech 24 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a Beech 15 in. dia. bears N13 E 41 lks. dist. &
 a Do 12 " " " S32 E 26 " "
 44.60 a Beech 20 " "
 53.75 a Stream 25 lks. wide Course S.W.
 70.00 a Spring draft " S.W.
 80.00 Set a post Cor. to Sec. 29, 30, 31 & 32, from which
 a Beech 24 in. dia. bears N86 E 13 lks. dist. &
 a Do 12 " " " S79 W 24 " "
 Land rolling & rate Beech Ash poplar Sugar
 Hickory, W. B. Oak undergrowth Spice &c.

- East On Prandon between Sec. 29 & 32, S15 N R4 E,
 26.25 a Stream 5 lks. wide Course S.
 40.00 Set temp^y. q^r. Sec. post.
 80.33 Intersected the N. & S. line 34 lks. S. of post

- West Corrected between Sec. 29 & 32, S15 N R4 E.
 40.16 Set q^r. Sec. post at average dist. from which
 a Beech 18 in. dia. bears N15 E 28 lks. dist. &
 a Do 11 " " " S64 W 8 " "

T15 N. R4 E. 2^d Mer. Indiana

80.33 to Section Corner.

West Between Secs. 30 & 31, T15 N. R4 E.

20.75 a Beech 15 in. dia.

40.00 Set the q. Sec. post, from which
a Beech 20 in. dia. bears N 32° W 35 lks. dist. of
a Do 10 " " " S 41° E 14 " "

70.50 an Ash 20 " "

79.02 Intersected the N. boundary 99 lks. N. of post, set
a post Cor. to Secs. 30 & 31, from which
a Beech 18 in. dia. bears N 10° W 7 lks. dist. of
a Do 12 " " " S 8° E 40 " "Land rolling 2^d rate Beech, Ash, undogth.
Spice &c. Thursday 5th Oct. 1820

North Between Secs. 29 & 30, T15 N. R4 E.

40.00 Set the q. Sec. post, from which

a Hickory 15 in. dia. bears N 45° W 15 lks. dist. of

a Beech 7 " " " S 70° E 35 " "

44.00 a W. Oak 36 " "

80.00 Set a post Cor. to Secs. 19, 20, 29 & 30, from which
a Beech 26 in. dia. bears S 28° E 25 lks. dist. of

a Do 20 " " " N 7° W 34 " "

Land and timber as before

East on Pradom between Secs. 20 & 29, T15 N. R4 E.

40.00 Set temp^y. q. Sec. post80.08 Intersected the N. & S. line 25 lks. S. of post
rolling 2^d rate

West Corrected between Secs. 20 & 29, T15 N. R4 E.

40.04 Set q. Sec. post, at average dist. from which

a Hickory 20 in. dia. bears N 78° E 4 lks. dist. of

a Beech 12 " " " S 72° W 25 " "

80.08 to Section Corner

S15 N R4 E. 2^d Mer. Indiana

~~North~~ Between Secs. 19 & 20, S15 N. R4 E.

6. 60 a Beech 12 in. dia.

40. 00 Set the q. Sec. post, from which
a Beech 20 in. dia. bears S60 E 60 chs. dist. 8
a H. Beech 4 " " " N62 W 32 " "

44. 10 a Beech 14 " "

79. 40 Intersected the W. boundary 1.78 chs. N. of post
Set a post Cor. To Secs. 19 & 20, from which
a Beech 12 in. dia. bears N 11 E 36 chs. dist. 8
and Elm 7 " " " S 36 E 45 " "

Land and timber as before

North Between Secs. 19 & 20, S15 N. R4 E.

27. 50 an Ash 24 in. dia.

31. 60 a Stream 15 chs. wide Course S. W.

40. 00 Set the q. Sec. post, from which
and Elm 18 in. dia. bears S 26 W 3 chs. dist. 8
a Beech 15 " " " North 21 " "

46. 12 an Ash 24 " "

80. 00 Set a post Cor. To Secs. 17, 18, 19 & 20, from which
an Ash 26 in. dia. bears S 71 W 34 chs. dist. 8
a Do 8 " " " East 12 " "

Land level 2^d rate timber Beech Ash Sugar W. Oak
Poplar undergrowth Spice 4c.

East On Random between Secs. 17 & 20, S15 N. R4 E.

40. 00 Set temp. q. Sec. post

80. 46 Intersected the N & S. line 36 chs. S. of post
Land level 2^d rate Beech Ash Hick y. undg. Spice Hagee.

West Corrected between Secs. 17 & 20, S15 N. R4 E.

40. 23 Set q. Sec. post at average dist. from which
a Beech 18 in. dia. bears N 72 W 6 chs. dist. 8
a Do 16 " " " S 87 E 31 " "

80. 46 to Section Corner

West Between Secs. 18 & 19, S15 N. R4 E.

TAS N R 4 E. 2^d Mer. Indiana

- 7.00 a Beech 15 in. dia.
 41.00 Set the q^r. Sec. post, from which
 a Beech 15 in. dia. bears N 18 E 9 lks. dist. &
 a Buckeye 7 " " " S 61 E 13 " "
 53.75 a Br. Oak 36 " "
 79.54 Intersected the W. boundary 1.57 lks. N. of post
 Set a post Cor. to Secs. 18 & 19, from which
 a Beech 20 in. dia. bears S 39 E 33 lks. dist. &
 an Ash 16 " " " N 32 W 12 " "
 Land level 2^d rate timber as before

North Between Secs. 17 & 18. S 15 N R 4 E.

- 25.15 a Beech 15 in. dia.
 40.00 Set the q^r. Sec. post, from which
 a Beech 15 in. dia. bears S 76 W 34 lks. dist. &
 a Do 10 " " " N 56 E 35 " "
 50.36 a Beech 24 " "
 54.25 a Stream 6 lks. wide Course W.
 70.00 a Do 20 " " " S. W.
 80.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which
 a Sugar 24 in. dia. bears S 3 W 41 lks. dist. &
 an Elm 8 " " " N 11 E 15 " "
 Land rolling 2^d rate Beech Ash Sugar Hick^y.
 undergrowth Spice &c.

East On Random between Secs. 8 & 17. S 15 N R 4 E.

- 15.50 a Stream 25 lks. wide Course S. W.
 40.00 Set temp^y. q^r. Sec. post -
 80.87 Intersected the 1st N & S. line 67 lks. S. of post
 Land level 2^d rate Beech Ash Sugar &c.

West Corrected between Secs. 8 & 17. S 15 N R 4 E.

- 40.43 Set q^r. Sec. post at average dist. from which
 a Beech 18 in. dia. bears S 20 E 21 lks. dist. &
 a Do 22 " " " North 38 " "
 80.87 To Section Corner. Oct. 6th 1820.

S15 N R4 E, 2^d Mer. Indiana

West Between Secs. 7 & 18, S15 N R4 E,
 19. 10 an Elm 12 in. dia.
 40. 00 Set the q. Sec. post, from which
 a Sugar 18 in. dia. bears N 57 41 37 E 37 dist. 7
 a Beech 8 " " " S 71 E 5 " "
 44. 00 a Beech 30 " "
 78. 47 Intersected the W. boundary 1.95 E. N. of post
 Set a post Cor. to Secs. 7 & 18, from which
 a Sugar 24 in. dia. bears N 31 41 21 E 21 dist. 8
 a Beech 20 " " " S 71 E 6 " "
 Land level 2^d rate rich Beech Ash Sugar
 Walnut Undergrowth Spice &c.

North Between Secs. 7 & 8, S15 N R4 E,
 40. 00 Set the q. Sec. post, from which
 a Beech 15 in. dia. bears N 46 E 5 E 5 dist. 8
 a Do 7 " " " S 61 W 13 " "
 63. 00 an Elm 18 " "
 80. 00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which
 an Ash 30 in. dia. bears N 86 E 26 E 26 dist. 8
 a Beech 16 " " " S 87 41 24 " "
 Land and timber as before

East On Brandon between Secs. 5 & 8, S15 N R4 E,
 40. 00 Set temp. q. Sec. post
 80. 57 Intersected the N. & S. line 52 E. S. of post
 Land and timber as before

West Corrected between Secs. 5 & 8, S15 N R4 E,
 40. 28 Set q. Sec. post at average dist. from which
 a Beech 16 in. dia. bears N 4 W 33 E 33 dist. 8
 a Do 8 " " " S 33 E 20 " "
 80. 57 to Section Corner

West Between Secs. 6 & 7, S15 N R4 E,
 24. 75 a Hickory 14 in. dia.

T15 N - R4 E. 2^d. Mer. Indiana

- 40.00 Set the q^r. Sec. post, from which
a Buckeye 8 in. dia^r. bears N 30 W 20 ch. dist.
a Beech 7 " " " S 62 E 14 " "
- 50.00 a Hickory 16 " "
- 78.48 Intersected the W. boundary 1.96 ch. N. of post
Set a post Cor. to Sec. 6 & 7, from which
a Hickory 28 in. dia^r. bears S 47 E 17 ch. dist. &
a Sugar 10 " " " N 35 W 18 " "
Land level $\frac{1}{2}$ rich 1st. rate Beech Ash Sugar
Hickory Walnut undergrowth Spice &c.

- North Between Sec. 5 & 6, T15 N R4 E.
- 5.40 a Hickory 28 in. dia^r.
- 25.00 a Stream 10 ch. wide Course S. W.
- 40.00 Set the q^r. Sec. post, from which
a Beech 24 in. dia^r. bears S 48 E 13 ch. dist. &
a Do 16 " " " N 34 W 9 " "
- 70.75 a Beech 14 " "
- 78.97 Intersected the N. boundary 92 ch. W. of post
Set a post Cor. To Sec. 5 & 6, from which
a Sugar 28 in. dia^r. bears N 32 E 16 ch. dist. &
a Beech 8 " " " S 54 W 37 " "
Land level 2^d. rate beech Ash Sugar Hick^y. &c.
- Oct. 7th 1820 -
Surveyed by John Hendricks, D. S.

I certify that the foregoing transcript of field notes
 of Township N: 15 North, Range N: 4 East D: 2 Mer.
 Indiana, has been compared with the original notes
 in this Office, and found to be correct.

Surveyor General's Office
 Cincinnati, Sept. 11, 1841

P. P. Haines
 Sur. Genl.